

PCT/EP2004/011876  
3M ESPE AG  
Our Ref.: H2720 PCT

12. Aug. 2005

## Claims

1. A device for storing and dispensing a flowable substance, comprising:  
a container comprising  
    a base member and a cover member being sealingly connected with each other  
    along the circumference of the container,  
    at least one compartment for receiving said substance, and  
    an open ended pocket area into which said substance is transferable from said at  
    least one compartment, and  
a cannula having an internal passageway being in a fluid communication with said  
pocket for dispensing said substance, wherein said cannula is a separate component  
having a first end and a second end, said first end being associated with said open end of  
said pocket area.
2. The device of claim 1, wherein said first end comprises an extension part having a  
portion with an increased cross-section.
3. The device of claim 2, said extension part having a cross-sectional shape comprising  
sharp edges in the plane between the base member and the cover member, and  
preferably comprises a rhombic or fin-like cross-sectional shape.
4. The device of claim 1, wherein said extension part comprises at least one portion having  
an increased diameter.
5. The device of claim 1, wherein said extension part comprises a portion being tapered  
along the length thereof, with the thickness of the tapered portion decreasing towards  
said first end.
6. The device of claim 5, wherein said tapered portion comprises an U-shaped sealing area  
on each of the opposing surfaces of said tapered portion, the legs of said U-shaped

sealing areas extending towards said first end and being connected at the edge of said first end.

7. The device of any of claims 1 to 6, wherein said first end is attached to said open ended pocket area by means of a heat seal, a press fit, and/or an adhesive.
8. The device of claim 1, wherein said first end comprises an extension part adapted for being attached to the outer surface of said container.
9. The device of claim 8, wherein said extension part is attachable to said cover member.
10. The device of claim 8 or 9, wherein said extension part comprises a first portion and a second portion being inclined relative to said first portion.
11. The device of claim 8, 9, or 10, wherein said cannula is inclined relative to said extension part.
12. The device of any of claims 8 to 11, wherein said internal passageway of said cannula extends through said extension part.
13. The device of claim 12, wherein said extension part comprises a recess in the surface that attachable to said container, said recess being adjacent to and surrounding said passageway opening.
14. The device of claim 13, wherein said recess is ring shaped.
15. The device of claim 13 or 14, wherein said extension part comprises a raised portion adjacent to and surrounding said passageway opening, said recess surrounding said raised area.
16. The device of claim 1, said separate cannula being attached to said cover member, whereby said fluid communication with said pocket is established through said cover member.

17. The device of any of claims 1 to 16, wherein said cannula comprises a dosing means having a variable volume, preferably are bellow.
18. The device of any of claims 1 to 18, wherein said cannula further comprises an applicator at said second end for applying said substance to a treatment area.
19. The device of claim 18, wherein said applicator comprises bristles being integrally formed with said second end of said cannula, or comprises a foamed material, a non-woven material, or a plurality of fibres incorporated into said second end of said cannula.
20. The device of any of claims 1 to 19, wherein said internal passageway of said cannula further comprises flow resistors, preferably formed by structured surfaces, constricted portions, and/or orifices.
21. The device of any of claims 2 to 7, said extension part further comprising stiffening elements extending away from said extension part.
22. The device of any of claims 1 to 21, said base member being formed as a sheet.
23. The device of claim 22, said base member sheet being a deep-drawn sheet formed of a polypropylene layer, an aluminium layer, and a polyethylene layer.
24. The device of any of claims 1 to 21, said cover member being formed as a sheet, preferably being formed of a polyethylene terephthalate layer, an aluminium layer, and a polyethylene layer.
25. The device of any of claims 1 to 21, said cover member being formed as a plastic part, preferably as an injection moulded part.
26. The device of any of claims 1 to 25, further comprising a portion separating said compartment from said pocket, said separating portion comprising a passage area adapted to be selectively opened by pressure effective on said passage area for placing said compartment in communication with said pocket.

27. The device of any of claims 1 to 26, comprising two or more compartments for holding different substances, and a passage area adapted to be selectively opened for placing said compartments in communication with each other prior to dispensing the mixed final substance.
28. The device of any of claims 1 to 27, said cannula further comprising mixing means.
29. The device of claim 28, said mixing means comprising mixing helixes or elements providing flow resistance.
30. The device of any of claims 1 to 29, further comprising a handle.
31. The device of any of claims 1 to 30, wherein the container is pre-filled.
32. Set comprising a device according to any of claims 1 to 31 and a separate applicator.
33. Set comprising a plurality juxtaposed devices according to any of claims 1 to 31.
34. Set according to claim 33, further comprising a separate applicator.
35. Set according to claim 33 or 34, wherein at least one device is filled with a different substance than the other devices.